

IN THE SPECIFICATION

Please amend the paragraph starting at page 2, line 11 and ending at line 16, as follows:

--The invention is directed to a nail enamel composition comprising, by weight of the total composition:

5-95% ~~10-95%~~ solvent, and

5-95% of a polymer having a glass transition temperature in the range of 5 to 90° C., and containing about 2 to 29% by weight of the total polymer of at least one polar monomer.--

Please amend the paragraph starting at page 2, line 17 and ending at page 3, line 4, as follows:

--The invention is further directed to a two container kit for polishing nails comprising:

(a) a first container containing a nail enamel composition comprising, by weight of the total composition:

5-95% ~~10-95%~~ solvent, and

5-95% of a film forming polymer having a glass transition temperature in the range of 5 to 90° C. and containing 2 to 29% by weight of the total polymer of at least one polar monomer; and

(b) a second container containing a nail enamel topcoat composition comprising, by weight of the total topcoat composition:

1-99% solvent, and

1-99% of a film former.--

Please amend the paragraph starting at page 3, line 5 and ending at line 13,
as follows:

--The invention is further directed to a method for polishing the nails

comprising:

(a) applying to the nails a first composition comprising, by weight of the total composition:

5-95% ~~10-95%~~ solvent, and

5-95% of a film forming polymer having a glass transition temperature in
the range of 5 to 90° C. and containing about 2 to 29% by weight of the total polymer of at
least one polar monomer;

(b) applying to the nails a second composition comprising, by weight of the total
composition:

1-99% solvent, and

1-99% of a film former.--

Please amend the paragraph starting at page 3, line 17 and ending at line 20
as follows:

--The nail enamel composition of the invention comprises, by weight of the
total composition, about 5-95% ~~10-95%~~ solvent and about 5-95% of a film forming
polymer having a glass transition temperature in the range of 5 to 90, preferably 10 to 55°

C., and containing about 2 to 29%, preferably about 2 to 25% by weight of the total polymer, of at least one polar monomer.--

Please amend the paragraph starting at page 3, line 22 and ending at page 4, line 7, as follows:

--The nail enamel composition comprises 5-95% ~~10-95%~~, preferably 15-90%, more preferably 20-80% of a solvent. The solvent may be aqueous or non-aqueous or a mixture of both types of solvents. Suitable non-aqueous solvents include aliphatic or aromatic ketones such as acetone, diacetone alcohol, dihydroxyacetone, ethyl butyl valerolactone, methyl ethyl ketone, and the like; aliphatic or aromatic alcohols such as methanol, propanol, benzyl alcohol, butoxyethanol, butoxypropanol, butyl alcohol, 3-methyl-3-methoxy-butanol, t-butyl alcohol, butylene glycol, diethylene glycol, abietyl alcohol, propylene carbonate, hexyl alcohol, isopropanol, and the like; glycol ethers; esters such as butyl acetate, ethyl acetate, ~~acetate~~ 1-methoxy-2-propanol acetate; benzoates and the like.--

Please amend the paragraph starting at page 13, line 4 and ending at line 13, as follows:

--The invention is further directed to a two container kit for polishing nails comprising:

(a) a first container containing a nail enamel composition comprising, by weight of the total composition:

5-95% ~~10-95%~~ solvent, and

5-95% of a film forming polymer having a glass transition temperature in the range of 5 to 90° C. and containing about 2 to 29% by weight of the total polymer of at least one polar monomer; and

(b) a second container containing a nail enamel topcoat composition comprising, by weight of the total topcoat composition:

1-99% solvent, and

1-99% of a film forming polymer.--

Please amend the paragraph starting at page 14, line 5 and ending at line 13, as follows:

--The invention further comprises a method for polishing the nails

comprising:

(a) applying to the nails a first composition comprising, by weight of the total composition:

5-95% ~~10-95%~~ solvent, and

5-95% of a film forming polymer having a glass transition temperature in the range of 5 to 90° C. and containing about 2 to 29% by weight of the total polymer of at least one polar monomer;

(b) applying to the nails a second composition comprising, by weight of the total composition:

1-99% solvent, and

1-99% of a film former.--